



它将见证您的业务增长

拥有 UltraDrop 精细墨滴灰阶打印技术的应用于工业化生产的 EFI VUTEK H2000 Pro 打印机进入大幅面数字喷墨打印市场, 抓住高利润的市场机遇。



概览

凭借具有以下特色的可扩展基础平台领先未来需求:

- 六色, 多层打印, 一次通过
- 真正的 600 dpi 或 1,000 dpi 分辨率
- 7pL 精细墨滴灰阶打印 UltraDrop 技术
- 每小时生产 14 张尺寸为 4 英尺 x 8 英尺 (1.2 m x 2.4 m) 的板材或 710 平方英尺 (66平方米) 的优质打印
- 可处理宽达 80 英寸 (2 米) 和厚达 2 英寸 (5.08 厘米) 的卷材和板材
- Orion 操作系统
- 标准多队列按需打印功能
- 可选购的 Fiery® XF 数字前端 (DFE) 与打印机之间可实现双向通信功能
- 通过与本地的 JDF 相连接, 实现与EFI 网络印刷和 MIS/ERP 系统解决方案的无缝整合
- 您的打印机享有一年增强服务项目 (ESP) 的质保



可提高性能和最终利润的选项

EFI VUTEk H2000 Pro 拥有多项生产和图像方面的选项，您可以根据当前需求进行配置，也可以在您获得新业务机遇时进行加速。

- Fiery DFE: 选择 Fiery proServer 或 Fiery XF 软件
- 同一打印机进行卷材生产时，安装放卷装置和收卷装置，提升产能和打印机的多功能性
- 采用单通道或双通道的白墨应用，获取更高利润的业务
- 采用单通道或双通道的透明涂层，可扩展印品的应用范围

重大的印刷技术革新， 来自 EFI 精细墨滴 UltraDrop 技术

高要求的用户想要最好的品质、最棒的效果和最大的产量。EFI 精细墨滴 UltraDrop 技术可以提供更小的墨滴直径和更精准的控制。非常了不起的技术革新：

- 7pL 打印喷头，在每个打点的位置以最真实的多点定位
- 四级灰阶和两组墨水浓度可实现高清晰度和高分辨率的图像品质
- 阴影区域、渐变区域和过渡区域都具有杰出的平滑性
- 在标准的四磅文字模式下拥有杰出的文本质量，几乎没有印刷品中常有的卫星现象，以更高的清晰度而胜出



介质 / 处理

- 可处理宽达 80 英寸 (2 米) 和厚达 2 英寸 (5.08 厘米) 的卷材或板材
- 可选卷对卷生产, 安装拆卷机和复卷机

生产效率

- 最佳品质模式 (1,000 dpi, 高度平滑处理): 每小时可生产 4 张 4 英尺 x 8 英尺 (1.2 米 x 2.4 米) 的板材或打印 225 平方英尺 (21 平方米)
- POP 品质模式 (600 dpi, 普通平滑处理): 每小时可生产 14 张 4 英尺 x 8 英尺 (1.2 米 x 2.4 米) 的板材或打印 710 平方英尺 (66 平方米)
- 最高速度 (600 dpi, 标准模式处理): 每小时可生产 20 张 4 英尺 x 8 英尺 (1.2 米 x 2.4 米) 的板材或打印 1,050 平方英尺 (98 平方米)

环境因素

- 压缩空气: 4 cf/m 时, 最大压力 95–145 psi — 仅限干燥空气 (不含)
- 全封闭设计, 确保操作员的安全并符合环保要求
- 温度: 68° F 至 86° F (20° C 至 30° C)
- 湿度: 30% 至 80% (无冷凝)
- 机器重量: 4550 磅 (2063.8 千克)
- 高度: 65 英寸 (165.1 厘米)
- 宽度: 201 英寸 (511 厘米)
- 深度: 66 英寸 (168 厘米) (不带平板桌)
 - + 12.7 英寸 (12.7 厘米) 放卷装置
 - + 12.7 英寸 (12.7 厘米) 收卷装置
- 用电: 3 相, 60 安 (200–230 伏电源)

EFI 油墨

- 油墨装在 5.0 升容器中供给
- 拥有更广阔的色彩, 其 CMYK 色彩模式与全球顶级的 PANTONE 色彩相匹配
- EFI 开发的颜料分装体系, 优化油墨使用量和浓度, 以确保油墨的稳定性

可选 EFI Fiery proServer 和 Fiery XF 软件

- 优化 EFI Fiery proServer 和 Fiery XF DFE 的使用
- Fiery XF DFE 与打印机之间的双向通信功能可以及时回传每个打印作业的追踪信息
- 强大的制作工具, 如嵌套、多重粘贴、缩放、裁剪和镶嵌
- 先进的 ICC 颜色管理, 以实现可靠一致的高品质输出色彩和打样品质色彩

增强服务项目 (ESP)

- EFI 为您的打印机提供行业领先的服务和支持项目, 包括 Fiery proServer 硬件和 Fiery XF 软件
- 十二个月的基本覆盖, 为您提供 24 小时工作时间 (3 个工作日) 内的回复

EFI 助力成功。

从 Fiery 到超宽幅喷墨打印, 从每个低成本的标签到高度自动化的业务流程, EFI 提供助力于您公司取得成功的所有要素。欲了解更多信息, 请浏览 www.efi.com 或拨打 86 21 6319 0058。



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, Best, the Best logo, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, DockNet, Digital StoreFront, DocBuilder, DocBuilder Pro, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, Fabrivu, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, Inkintensity, Inkware, Jetrion, the Jetrion logo, LapNet, Logic, MiniNet, Monarch, MicroPress, OneFlow, Pace, PhotoXposure, Printcafe, PressVu, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, Printstream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Rastek, the Rastek logo, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEK, the VUTEK logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries. All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.